# Antarctic snowfall variability and forced change




Jeremy Fyke<sup>1</sup>, Jan Lenaerts<sup>2</sup>, Brooke Medley<sup>3</sup>
Marcus Lofverstrom<sup>4</sup>, Raymond Sellevold<sup>5</sup>, Miren Vizcaino<sup>5</sup>
CESM LE community, Laura Landrum<sup>4</sup>, Marika Holland<sup>4</sup>, Lorenzo Polvani<sup>7</sup>, Hailong Wang<sup>8</sup>

LANL<sup>1</sup>,CU Boulder<sup>2</sup>, NASA<sup>3</sup>, NCAR<sup>4</sup>, TU Delft<sup>5</sup>, NASA<sup>6</sup>, Columbia<sup>7</sup>, PNNL<sup>8</sup>










## Patterns in AIS variability controlled by regional atmospheric circulation

(Fyke et al., 2017, The Cryosphere)




## Patterns in AIS variability controlled by regional atmospheric circulation

(Fyke et al., 2017, The Cryosphere)




# AIS snowfall will strongly increase in response to anthopogenic forcing

(Lenaerts et al., 2016, Climate Dynamics)




# AIS snowfall will strongly increase in response to anthopogenic forcing


(Lenaerts et al., 2016, Climate Dynamics)





# AIS snowfall will strongly increase in response to anthopogenic forcing


(Lenaerts et al., 2016, Climate Dynamics)
































# Antarctic snowfall variability and forced change

Antarctic snowfall is important for sea level!

Patterns in AIS snowfall variability controlled by atmospheric circulation AIS snowfall will strongly increase in response to anthopogenic forcing Recent snowfall trends display strong ozone signature